

CONCLUSION

This report highlights the case of a 42-year-old woman with superficial granulomatous pyoderma, a rare disease entity that although generally slowly progressive and has a benign prognosis, has an initial presentation that mimics a myriad of other conditions. This may lead to serious debility if overlooked or mismanaged, with patients receiving unwarranted medical treatment and surgical management further leading to unnecessary economic burden, emotional distress, physical disfigurement, and even exacerbation of the disease of the patient. A correlation of the clinical picture with prompt histologic diagnosis is warranted to start proper treatment and attain disease control, which may require several months to achieve. Awareness of such disease entity as a major differential is therefore important.

REFERENCE

1. Powell FC, Su WD, Perry HO. Pyoderma gangrenosum: classification and management. *J Am Acad Dermatol*. 1996;34(3):395-409.
2. Bennett ML, Jackson JM, Jorizzo JL, Fleischer JA, White WL, Callen JP. Pyoderma gangrenosum. A comparison of typical and atypical forms with an emphasis on time to remission. Case review of 86 patients from 2 institutions. *Medicine*. 2000;79(1):37-46.
3. Quimby S, Gibson L, Winkelmann R. Superficial granulomatous pyoderma: clinicopathologic spectrum. *Mayo Clin Proc*. 1989;64:37-43.
4. Huish SB, Emmanuel M, Ellis III PR, Stern PJ. Pyoderma gangrenosum of the hand: a case series and review of the literature. *J Hand Surg Am*. 2001;26(4):679-85.
5. Milea MM, Grosshans E, Cribier B. Pyoderma granulomateux superficiel. *Ann Dermatol Venerol*. 2004;131(8-9):795-798.
6. Persing SM, Laub D. Superficial granulomatous pyoderma of the face: a case report and review of literature. *Eplasty*. 2012;12:472-477.
7. Dobson C, Parslew R, Evans S. Superficial granulomatous pyoderma treated with intravenous immunoglobulin. *J Am Acad Dermatol*. 2003;48:456-60.
8. Rosina P, Papagrigoraki A, Colato C. A Case of Superficial Granulomatous Pyoderma Mimicking a Basal Cell Carcinoma. *Acta Dermatovenerol Croat*. 2014;22(1):48-51
9. Wilson-Jones E, Winkelmann R. Superficial granulomatous pyoderma: a localized vegetative form of pyoderma gangrenosum. *J Am Acad Dermatol*. 1988;18:511-21.
10. Hardwick N, Cerio R. Superficial granulomatous pyoderma: a report of two cases. *Br J Dermatol*. 1993;129:718-722.
11. Schroeter AL. Superficial granulomatous pyoderma. *Mayo Clin Proc*. 1989;64:123-124.
12. Lichter MID, Welykyj SE, Gradini R, Solomon LM. Superficial granulomatous pyoderma. *Int J Dermatol*. 1991;30:418-421.
13. Lachapelle J, Marot L, Jablonska S. Superficial granulomatous pyoderma gangrenosum of the face, successfully treated by ciclosporine: a long-term follow-up. *Dermatol*. 2001;202:155-7.
14. Miralles, J, Matarredona, J, Ruiz J, Deveza J. Superficial granulomatous pyoderma. *Cutis*. 2000;66.3:217-9
15. Ormaechea-Pérez N, et al. Pioderma granulomatoso superficial. Presentación de 2 casos tratados con tacrolimus tópico. *Actas Dermo-sifiliogr*. 2013;104:721-4.
16. Tao W, Tao Q, Yue-Hua L. Superficial granulomatous pyoderma accompanied with ulcerative colitis successfully treated with tacrolimus ointment. *J Dermatol*. 2011;38:1105-8.
17. Akhras V, Sarkany R, Walsh S, Hyde N, Marsden R. Superficial granulomatous pyoderma treated preoperatively with infliximab. *Clin Exp Dermatol*. 2008; 34:183-5.
18. Chow RKP, Ho VC. Treatment of pyoderma gangrenosum. *J Am Acad Dermatol*. 1996;34:1047 -60.
19. Miller J, Yentzer BA, Clark A, et al. Pyoderma gangrenosum: a review and update on new therapies. *J Am Acad Dermatol*. 2010;62:646
20. Shenefelt PD. Pyoderma Gangrenosum associated with cystic acne and hidradenitis suppurativa controlled by adding minocycline and sullasalazine to the treatment regimen. *Cutis*. 1996;57:315-9.